

US011141645B2

# (12) United States Patent

# Anton

### (54) ATHLETIC BALL GAME USING SMART GLASSES

- (71) Applicant: **Real Shot Inc.**, San Francisco, CA (US)
- (72) Inventor: Paul Anton, Racine, WI (US)
- (73) Assignee: **Real Shot Inc.**, San Francisco, CA (US)
- (\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

- (21) Appl. No.: 16/703,398
- (22) Filed: Dec. 4, 2019

## (65) **Prior Publication Data**

US 2020/0114244 A1 Apr. 16, 2020

## **Related U.S. Application Data**

(63) Continuation-in-part of application No. 16/567,074, filed on Sep. 11, 2019.

(Continued)

(51) Int. Cl.

A63B 71/06	(2006.01)
G06T 7/246	(2017.01)
G06T 7/00	(2017.01)
A63B 102/18	(2015.01)
A63B 102/32	(2015.01)

- (52) U.S. Cl.
  - CPC ...... A63B 71/0622 (2013.01); A63B 71/0669 (2013.01); G06T 7/00 (2013.01); G06T 7/246 (2017.01); A63B 2071/0666 (2013.01); A63B 2071/0694 (2013.01); A63B 2102/18

# (10) Patent No.: US 11,141,645 B2

# (45) **Date of Patent:** \*Oct. 12, 2021

- (2015.10); A63B 2102/32 (2015.10); A63B 2220/05 (2013.01); A63B 2220/806 (2013.01); A63B 2220/807 (2013.01); A63B 2225/50 (2013.01); A63B 2243/0025 (2013.01)
- (58) Field of Classification Search None See application file for complete search history.

# (56) References Cited

#### U.S. PATENT DOCUMENTS

6,805,490 B2 10/2004 Levola 7,094,164 B2 8/2006 Marty et al. (Continued)

#### FOREIGN PATENT DOCUMENTS

GB 2342050 \* 4/2000 ...... A63B 63/004

#### OTHER PUBLICATIONS

US 9,488,474, 11/2016, Magic Leap, Inc. (withdrawn). (Continued)

Primary Examiner — Jwalant Amin

(74) Attorney, Agent, or Firm-Boyle Fredrickson, SC

#### (57) **ABSTRACT**

The present invention relates to physical athletic ball games played using augmented reality smart glasses, and more specifically, to physical real-time athletic ball games where at least two players at different game locations anywhere in the world play athletic ball games against one another using smart glasses. The present invention also relates to the reading of statistical sports data and implementing that data through augmented reality smart glasses in the form of visual graphics so the player wearing the glasses can interact with real sports players in an augmented reality setting.

## 19 Claims, 14 Drawing Sheets



# **Related U.S. Application Data**

(60) Provisional application No. 62/729,532, filed on Sep. 11, 2018, provisional application No. 62/775,154, filed on Dec. 4, 2018, provisional application No. 62/775,184, filed on Dec. 4, 2018, provisional application No. 62/775,200, filed on Dec. 4, 2018.

# (56) **References Cited**

# U.S. PATENT DOCUMENTS

7,181,108	B2	2/2007	Levola
7,184,615	B2	2/2007	Levola
7,206,107	B2	4/2007	Levola
7,483,604	B2	1/2009	Levola
7,764,413	B2	7/2010	Levola
7,850,552	B2	12/2010	Marty et al.
7,854,669	B2	12/2010	Marty et al.
8,160,411	B2	4/2012	Levola et al.
8,194,325	B2	6/2012	Levola et al.
8,254,031	B2	8/2012	Levola
8,314,993	B2	11/2012	Levola
8,320,032	B2	11/2012	Levola
8,360,578	B2	1/2013	Nummela
8,408,982	B2	4/2013	Marty et al.
8,409,024	B2	4/2013	Marty et al.
8,466,953	B2	6/2013	Levola
8,477,046	B2	7/2013	Alonso
8,494,229	B2	7/2013	Jarvenpaa et al.
8,508,848	B2	8/2013	Saarikko
8,547,638	B2	10/2013	Levola
8,593,734	B2	11/2013	Laakkonen
8,617,008	B2	12/2013	Marty et al.
8,622,832	B2	1/2014	Marty et al.
8,717,392	B2	5/2014	Levola
8,774,467	B2	7/2014	Ryan
8,830,584	B2	9/2014	Saarikko et al.
8,908,922	B2	12/2014	Marty et al.
8,913,324	B2	12/2014	Schrader
8,948,457	B2	2/2015	Marty et al.
8,950,867	B2	2/2015	Macnamara
9,086,568	B2	7/2015	Jarvenpaa
9,215,293	B2	12/2015	Miller
9,238,165	B2	1/2016	Marty et al.
9,283,431	B2	3/2016	Marty et al.
9,283,432	B2	3/2016	Marty et al.
9,310,559	B2	4/2016	Macnamara
9,345,929	B2	5/2016	Marty et al.
9,348,143	B2	5/2016	Gao et al.
D758,367	S	6/2016	Natsume
9,358,455	B2	6/2016	Marty et al.
9,370,704	B2	6/2016	Marty
9,389,424	B1	7/2016	Schowengerdt
9,390,501	B2	7/2016	Marty et al.
9,417,452	B2	8/2016	Schowengerdt et al.
9,429,752	B2	8/2016	Schowengerdt et al.
9,470,906	B2	10/2016	Kaji et al
9,541,383	B2	1/2017	Abovitz et al.
9,547,174	B2	1/2017	Gao et al.
9,612,403	B2	4/2017	Abovitz et al.
9,651,368	B2	5/2017	Abovitz et al.
9,671,566	B2	6/2017	Abovitz et al.
9,694,238	B2	7/2017	Marty et al.
9,697,617	B2	7/2017	Marty et al.
D795,952	S	8/2017	Natsume
9,726,893	B2	8/2017	Gao et al.
9,734,405	B2	8/2017	Marty et al.
9,740,006	B2	8/2017	Gao
D796,503	S	9/2017	Natsume et al.
D796,504	S	9/2017	Natsume et al.
D796,505	S	9/2017	Natsume et al.
D796,506	S	9/2017	Natsume et al.
D797,735	S	9/2017	Fraser et al.
D797,743	S	9/2017	Awad et al.
D797,749	S	9/2017	Awad et al.
9,753,286	B2	9/2017	Gao et al.
9,753,297	B2	9/2017	Saarikko et al.

9,761,055	B2	9/2017	Miller
9.766.381	B2	9/2017	Jarvennaa et al.
0 766 703	B2	0/2017	Miller
9,700,703		9/2017	N CII
9,767,616	B2	9/2017	Miller
9,791,700	B2	10/2017	Schowengerdt
9.804.397	B2	10/2017	Schowengerdt et al
0,820,522	D2	11/2017	Mozur et al
9,830,322	DZ DA	11/2017	Mazur et al.
9,832,437	B2	11/2017	Kass et al.
9.841.601	B2	12/2017	Schowengerdt
0 844 704	B2	12/2017	Thurmon et al
9,044,704	D2	12/2017	
9,846,306	B2	12/2017	Schowengerdt
9,846,967	B2	12/2017	Schowengerdt
9 851 563	B2	12/2017	Gao et al
0.051,505	D2 D2	12/2017	Gao et al.
9,852,548	B2	12/2017	Greco et al.
9,857,170	B2	1/2018	Abovitz et al.
9 857 591	B2	1/2018	Welch et al
0.874.740	D2	1/2019	Dradalri et el
9,074,749	DZ Da	1/2018	Blauski et al.
9,874,752	B2	1/2018	Gao et al.
9.881.420	B2	1/2018	Miller
9 886 624	B1	2/2018	Marty et al
0,000,024		2/2010	Marty et al.
9,889,367	B2	2/2018	Minkovitch
9,891,077	B2	2/2018	Kaehler
9.904.058	B2	2/2018	Yeoh et al.
0.011.233	B2	3/2018	O'Connor et al
9,911,233	D2	3/2018	o connor et al.
9,911,234	B2	3/2018	Miller
9,915,824	B2	3/2018	Schowengerdt et al.
9 915 826	B2	3/2018	Tekolste et al
0,022,462		2/2010	NC11
9,922,462	BZ	3/2018	Miller
9,928,654	B2	3/2018	Miller
9.939.643	B2	4/2018	Schowengerdt
0.046.071	D2	4/2018	Schowongordt
9,940,071	D2	4/2018	Schowengerut
9,948,874	B2	4/2018	Kaehler
9,952,042	B2	4/2018	Abovitz et al.
9.972.132	B2	5/2018	O'Connor et al.
0.078.182	B2	5/2018	Veah et al
9,978,182	D2 D2	5/2018	Teoli et al.
9,984,506	B2	5/2018	Miller
9,990,777	B2	6/2018	Bradski
9 996 977	B2	6/2018	O'Connor et al
10,000,020	D2	6/2010	Millor
10,008,038	DZ D2	0/2018	Miller
10,010,778	<b>B</b> 2	7/2018	Marty et al.
10,013,806	B2	7/2018	O'Connor et al.
10 015 477	B2	7/2018	Grata et al
10,021,140	D2	7/2010	Miller
10,021,149	D2	//2018	Willier The last
10,042,097	B2	8/2018	Tekolste
10.042.166	B2	8/2018	Yeoh et al.
10 043 312	B2	8/2018	Miller et al
10.048.501	D2	8/2018	Goo at al
10,048,501	DZ	0/2010	Gao et al.
10,060,766	B2	8/2018	Kaehler
10.061.130	B2	8/2018	Gao et al.
10 068 374	B2	9/2018	Miller et al
10,000,574		0/2010	
10,073,207	BZ	9/2018	Tekoiste et al.
10,073,272	B2	9/2018	Kaji et al.
10.078.919	B2	9/2018	Powderly et al.
10 080 453	<b>B</b> 2	10/2018	Kaehler
10,000,100	D2	10/2010	
10,089,520	DZ	10/2018	Amayen et al.
10,092,793	BI	10/2018	Marty et al.
10,100,154	B2	10/2018	Bhagat
10 101 802	B2	10/2018	Abovitz
10,101,002	D2 D2	10/2018	Daga at al
10,109,001	DZ	10/2018	Bose et al.
10,109,108	B2	10/2018	Miller et al.
10.115.232	B2	10/2018	Miller et al.
10 115 233	B2	10/2018	Miller et al
10,115,255	D2 D2	11/2018	Willer et al.
10,126,812	B2	11/2018	Miller et al.
10,127,369	B2	11/2018	Kaehler
10 127 723	B2	11/2018	Miller
10 124 196	D2	11/2018	Sahawangandt at al
10,134,180	D2	11/2018	Schowengerut et al.
D836,105	S	12/2018	Natsume et al.
D836,106	S	12/2018	Natsume et al.
D836 107	S	12/2018	Natsume et al.
D026 100	č	12/2010	Notarmo et al
10830,108	3	12/2018	natsume et al.
D836,109	S	12/2018	Natsume et al.
D836 630	S	12/2018	Natsume et al
D026 (21	ç	12/2010	Notame at al
1830,031	5	12/2018	matsume et al.
D836,632	S	12/2018	Natsume et al.
D836 633	S	12/2018	Natsume et al
D026 624	e e	12/2010	Notampo et al.
1030,034	3	12/2018	matsume et al.
10,146,997	<b>B</b> 2	12/2018	Kaehler
10 151 975	DO	12/2018	Schowengerdt et al
10.101.07.	DZ D	12/2010	SCHOWENSEITH EL M
10,151,875	B2 B2	12/2010	Gao et al

# (56) **References Cited**

# U.S. PATENT DOCUMENTS

10.156,725	B2	12/2018	TeKolste et al.
10,162,184	B2	12/2018	Gao et al.
10.163.010	B2	12/2018	Kaehler et al.
10.163.011	B2	12/2018	Kaehler et al.
10.163.265	B2	12/2018	Miller et al.
10.175.478	B2	1/2019	Tekolste et al.
10.175.491	B2	1/2019	Gao et al.
10.175.564	B2	1/2019	Yaras
10.176.639	B2	1/2019	Schowengerdt et al.
10.180.734	B2	1/2019	Miller et al.
10.185.147	B2	1/2019	Lewis
10.186.082	B2	1/2019	Min et al.
10 186 085	B2	1/2019	Greco et al
10 191 294	B2	1/2019	Machamara
10 198 864	B2	2/2019	Miller
10 203 762	B2	$\frac{2}{2}/2019$	Bradski et al
10 210 471	B2	$\frac{2}{2}$	King et al
10 228 242	B2	3/2019	Abovitz et al
10,220,242	B2	3/2019	Welch et al
10,234,087	B2	3/2019	Miller et al
10,237,540	B2 B2	3/2019	Welch et al
10,237,340	B2	3/2019	Schowengerdt et al
D845 206	52 S	4/2019	Natsumo ot al
D845,290	0 6	4/2019	Natsume et al.
10 240 087	ວ	4/2019	Wai at al
10,249,087	D2 D2	4/2019	Wei et al.
10,234,434	D2 D2	4/2019	Schewengerdt et al
10,234,483	D2 D2	4/2019	Veeh et al
10,234,330	D2 D2	4/2019	Debinerich et el
10,255,529	D2	4/2019	Educin et al.
10,200,804	D2 D2	4/2019	Edwin et al.
10,261,162	B2 D2	4/2019	Bucknor et al.
10,201,318	BZ D2	4/2019	Tekoiste et al.
10,262,462	B2 D2	4/2019	Miller et al.
10,267,970	B2 D2	4/2019	Jones, Jr. et al.
10,275,902	B2 D2	4/2019	Bradski
10,282,611	B2	5/2019	Amayeh et al.
10,282,907	B2	5/2019	Miller et al.
10,288,419	B2	5/2019	Abovitz et al.
10,295,338	B2	5/2019	Abovitz et al.
10,296,792	B2	5/2019	Spizhevoy et al.
10,302,957	B2	5/2019	Sissom
10,304,246	B2	5/2019	Schowengerdt et al.
10,306,213	B2	5/2019	Sissom et al.
D850,103	S	6/2019	Natsume et al.
10,313,639	B2	6/2019	Wei
10,313,661	B2	6/2019	Kass

10,317,690	B2	6/2019	Cheng
10,332,315	B2	6/2019	Samec et al.
10,337,691	B2	7/2019	Kaehler et al.
10,338,391	B2	7/2019	Yeoh et al.
10,343,015	B2	7/2019	Marty et al.
10,345,590	B2	7/2019	Samec et al.
10,345,591	B2	7/2019	Samec et al.
10,345,592	B2	7/2019	Samec et al.
10,345,593	B2	7/2019	Samec et al.
10,352,693	B2	7/2019	Abovitz et al.
10,359,631	B2	7/2019	Samec et al.
10,359,634	B2	7/2019	Yeoh et al.
10,360,685	B2	7/2019	Marty et al.
10,365,488	B2	7/2019	Samec et al.
10,371,876	B2	8/2019	Menezes et al.
10,371,896	B2	8/2019	Yeoh et al.
10,371,945	B2	8/2019	Samec et al.
10,371,946	B2	8/2019	Samec et al.
10,371,947	B2	8/2019	Samec et al.
10,371,948	B2	8/2019	Samec et al.
10,371,949	B2	8/2019	Samec et al.
10,378,882	B2	8/2019	Yeoh et al.
10,378,930	B2	8/2019	Kaehler
10,379,350	B2	8/2019	Samec et al.
10,379,351	B2	8/2019	Samec et al.
10,379,353	B2	8/2019	Samec et al.
10,379,354	B2	8/2019	Samec et al.
2005/0143154	A1	6/2005	Bush
2013/0095924	A1	4/2013	Geisner et al.
2014/0285669	A1*	9/2014	Lindner H04N 5/247
			348/157
2014/0301598	A1*	10/2014	Marty G06T 7/246
			382/103
2015/0382076	A1*	12/2015	Davisson H04N 21/435
			725/62
2017/0161561	A1*	6/2017	Marty H04N 5/23238
2017/0340949	A1*	11/2017	Tsai A63F 7/0664
2018/0050233	A1*	2/2018	Frenz G06K 9/00355
2019/0087661	A1*	3/2010	Lee G060 50/00
2019/0302720	A1*	12/2019	Lee G06K 9/00724
2017/0372127	111	12/2019	Lee

# OTHER PUBLICATIONS

US 10,379,349, 8/2019, Magic Leap, Inc. (withdrawn). US 10,379,352, 8/2019, Magic Leap, Inc. (withdrawn). US 10,379,355, 8/2019, Magic Leap, Inc. (withdrawn).

\* cited by examiner





FIG. 2









FIG. 6



































15

#### ATHLETIC BALL GAME USING SMART **GLASSES**

#### CROSS REFERENCE TO RELATED APPLICATIONS

This application is a continuation-in-part of U.S. application Ser. No. 16/567,074 filed on Sep. 11, 2019 and claims the benefit of U.S. Provisional Application No. 62/775,154 filed on Dec. 4, 2018, U.S. Provisional Application No. 10 62/775,184 filed on Dec. 4, 2018 and U.S. Provisional Application No. 62/775,200 filed on Dec. 4, 2018.

#### BACKGROUND

Athletic ball games such as basketball, baseball, golf, soccer, cricket and football are competitive sports that are immensely popular worldwide. Such sports are played professionally, collegiately, in high schools, in middle schools, in elementary schools, among friends and family as well as 20 two players at basketball courts in remote locations utilizing individually.

Athletes often spend numerous hours practicing and training in order to improve their skill level so they can become more competitive in these athletic ball sports. In an effort to assist athletes in improving their skill level, systems have 25 been developed that track an athlete's performance while training or playing, and then provide feedback to the athlete indicative of the performance which can be analyzed and evaluated to help the athlete improve one's skill level.

Game systems often have a different focus which is 30 primarily directed toward enhancing the recreational aspect of such ball sports. Such game systems may involve competitions between family members and/or friends at one location.

#### SUMMARY

In one aspect of the invention, an athletic ball game method for at least two players at remote game locations is provided. The method includes the steps of matching up two 40 players at remote game locations that have selected to play the same athletic ball game, acquiring real-time camera data from smart glasses that each player wears while the players are playing the selected athletic ball game, analyzing the camera data to determine make/miss data for each player 45 based upon how many attempts each player made and missed during the selected ball game; and communicating the camera data and the make/miss data of one player to the other player.

In another aspect of the invention, a method for enabling 50 two athletic players in game areas at remote locations to play a selected athletic ball game against one another is provided. The method includes the steps of matching up two athletic players on game areas at remote locations to play a selected athletic ball game, transmitting the real-time camera data 55 from smart glasses worn by each player to a smart device of the other player; analyzing the data from each player's smart glasses to determine how many attempts each player made and missed during the selected athletic ball game; and transmitting the number of attempts made and missed by 60 each player to the other player's smart device.

In another aspect of the invention, a method for enabling two athletic players in game areas at remote locations to play a selected athletic ball game against one another is provided. The method includes the steps of matching up two players 65 to play a selected athletic ball game, transmitting the realtime camera data from smart glasses worn by each player to

a smart device of the other player, analyzing the data from each player's smart glasses to recognize a game area and a game ball, analyzing the data from each player's smart glasses to determine each player's position in the game area, analyzing the data from each player's smart glasses to track the game ball, analyzing the data from each player's smart glasses to determine if each athletic attempt taken by each player was a make or miss without the need for sensors in the game area and the ball, displaying augmented reality information related to the selected athletic ball game on each player's smart glasses and transmitting the number of attempts made and missed by each player to both players smart devices.

# BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a schematic view of one embodiment of the invention involving the athletic ball game of basketball;

FIG. 2 is a flowchart of a basketball game being played by the invention:

FIG. 3 is a schematic view of smart glass of the invention; FIG. 4 is a schematic of an interface of an application of the present invention;

FIG. 5 is a schematic of the interface of the application; FIG. 6 is a flowchart of the data processing of the invention:

FIG. 7 is a schematic of the collision detection boxes of the make/miss analysis;

FIG. 8 is an illustration of the display on the smart glasses showing an augmented reality graphic;

FIG. 9 is a schematic of another embodiment of the invention involving the game of baseball;

FIG. 10 is a schematic of the embodiment shown in FIG. 35 9:

FIG. 11 is a schematic of an interface of the application involving the game of baseball;

FIG. 12 is a schematic of another embodiment of the invention involving the game of soccer;

FIG. 13 is schematic of an interface of the application involving the game of soccer;

FIG. 14 is a schematic of another embodiment of the invention involving the game of golf; and

FIG. 15 is a schematic of an interface of the application involving the game of golf.

Before any embodiments of the invention are explained in detail, it is to be understood that the invention is not limited in its application to the details of constructions and the arrangement of components set forth in the following description or illustrated in the drawings. The invention is capable of other embodiments and of being practiced or of being carried out in various ways.

#### DETAILED DESCRIPTION

The invention utilizes smart glasses to enable to athletes/ players at remote locations to physically play athletic ball games against each other. The athletic ball games can include basketball, baseball, soccer, golf, cricket, football and the like.

FIG. 1 illustrates one embodiment of a basketball shooting game system 10 in accordance with the present invention. The system 10 preferably includes smart glasses 12 and an application 14 running on a smart device 16 for each game player 18 and 20. The smart device 16 is preferably a mobile phone or tablet, but other devices can also be utilized. Alternatives to the application 14 running on a

smart device 16 can also be utilized, such as a dedicated computer with software loaded thereon. The system 10 enables the playing of a real-time basketball shooting game between at least two players 18 and 20 on basketball courts at remote locations anywhere in the world. The game is played on a physical basketball court, whether at a gym, a park, or a backvard, and played in connection with a conventional basketball 22, a rim 24 and backboard 26. Each player 18 and 20 wears smart glasses 12 that analyze and process data and that communicate with the player's device 16. The device 16 receives and processes the data from each player's smart glasses 12 and communicates with a remote processor 28. The smart glasses 12 provide camera data, track the position of the player 18 or 20, recognize the basketball 22 and basketball backboard 26 in use by each player 18 or 20 and will detect each player's shooting makes/misses so there is no need for additional sensors on the basketball rim 24, the backboard 26, or the basketball 22.

include a processor **30** and a camera **32**, as is shown in FIG. 3 and as will be discussed in detail below, so that the second player 20 at the remote location from the first player 18 can see everything the first player 18 sees. Real-time image, video and data are communicated to both players 18 and 20 25 such as by being transmitted from the first player's glasses 12 to the first player's device 16 as well as to the second player's device 16. Every time one player makes a shot, a green make will appear on the other player's device 16 and every time one player misses a shot, a red miss will be 30 shown on the other player's device 16. The make/miss data of each player 18 and 20 are also displayed on that player's smart glasses 12, as is shown in FIG. 7 and as will be discussed in more detail below, along with other data such as location, temperature, and distance from the basketball 35 rim. The smart glasses 12 include built in communication so that two players 18 and 20 playing against each other can talk to one another while playing the game as well as listen to music.

An example of a basketball shooting game utilizing the 40 invention is as follows and as shown in FIG. 2. A first player 18 logs into the application 14 on the first player's device 16 at step 34. The first player 18 selects a particular game from a list of options such as, for example, a three-point competition or a free-throw competition at step 36. The first player 45 10 is then matched up with a second player 20 at a basketball court in a remote location who also is logged into the application 14 on the second player's device 16 and who is interested in playing the same game at steps 38, 40, 42. Once both players 18 and 20 are matched and the game deter- 50 mined, the players 18 and 20 put on their individual smart glasses 12 so that the camera 32 is activated and each player 18 and 20 can see what the other player sees on the basketball court at step 44. The players 18 and 20 then set aside their individual devices 16 such as in their pocket, on 55 a chair, on a fence, or any other convenient location that is nearby so they can then begin the selected shooting game at step 46. Both players 18 and 20 can play the selected game at the same time as shown in steps 48 and 50 or they can play one at a time while watching the other player on their device 60 16. If the players 18 and 20 play the selected game one at a time, each player 18 and 20 can monitor the current data and scores of the other player as well as make/miss data of the other player on their device 16. The application 14 can also provide for replays of each player's shots if desired. The 65 application 14 also provides a timer and a game end alarm if the selected game requires one.

4

The images, video as well as other data collected and processed by player's glasses 12 is communicated to the other player such as be being wirelessly transmitted to the player's respective device 16 which is also communicated to the other player's device 16 as is known in the art. With this system 10, the capture of images, video and data by the glasses 12 of the first player 18 at one basketball court location can be viewed in real-time by the second player 18 at a remote basketball court location and vice versa thus enabling the play of basketball games by one player 18 against another player 20 anywhere in the world.

After the selected game is completed at step 52, each player 18 and 20 can go back to their device 16 at steps 54 and 56 to view their own scores and data, to view the other player's scores and data and to review which player 18 or 20 won the game at step 58. Each player 18 and 20 can then set up a rematch, proceed to another opponent or game or quit at step 60.

the backboard 26, or the basketball 22. The smart glasses 12 worn by each player 18 and 20 the processor 30 and a camera 32, as is shown in FIG. The smart glasses 12 worn by each player 18 and 20 the processor 30 and a camera 32, as is shown in FIG. The smart glasses 12 worn by each player 18 and 20 the processor 30 and a camera 32, as is shown in FIG. The smart glasses 12 worn by each player 18 and 20 the processor 30 and a camera 32, as is shown in FIG. The smart glasses 12 worn by each player 18 camera 32, as is shown in FIG. The smart glasses 12 worn by each player 18 camera 32, as is shown in FIG. The smart glasses 12 worn by each player 18 camera 32, as is shown in FIG. The smart glasses 12 worn by each player 18 camera 32, as is shown in FIG.

In another example of the system 10, indicia and/or graphics 62 can be projected by the glasses 12, as is shown in FIG. 7 and as will be discussed in detail below, to augment reality in addition to showing the make/miss data. For example, a player 18 or 20 could see a famous basketball player in their field of view and be required to take a basketball shot while seeing the famous player. In another example, graphics of basketball stadiums and fans can be added to make a player's current location look like they are playing in a large arena. In another example, graphics can be added to the ball itself, as if the ball were of fire, or the court itself, as if the court were in a tundra of snow.

Turning now to FIG. 3, an exemplary component design for the smart glasses 12 is shown. The glasses 12 can be commercially available smart glasses, such as HoloLens 2 available from Microsoft Corporation, with no additional hardware added. Alternatively, the glasses 12 can be custom designed and manufactured with the needed components. It should be noted that almost any pair of commercially available smart glasses will work in this system 10.

The glasses 12 include right and left lenses 64 on a wearable frame 66. The lenses 64 allow natural light in thus allowing the wearer to see the real world. The field of view (FOV) of most lenses 64 is preferably in the range of 30 degrees to 180 degrees. A positioning device 68 is mounted on the frame 66 and functions to determine a physical location of the wearer. The positioning device 68 may include both a geographic locator such as a GPS device known in the art that utilizes signals from GPS satellites to determine the current position of a player 18 or 20 as well as orientation devices such as known accelerometers and 3-axis gravity detectors that determine the direction the player 18 or 20 is looking while wearing the glasses 12. The camera 32 is mounted to the frame 66 and captures images and video in the FOV. A display 70 is mounted on the frame 66 spaced in front of one or both lenses 64. The display 70 is preferably a small video screen such as a micro-LED display that the player 18 or 20 looks directly at or is a projection device that displays information such as images, video, and other data onto one of both lenses 64. For example, every time a player 18 or 20 makes a shot, a green MAKE will show on the display 70 in real-time, and every time the player 18 or 20 misses a shot, a red MISS will show

on the display 70 in real time. The display 70 functions to overlay such information and/or graphics onto a user's FOV such that what a player 18 or 20 is seeing through the lenses 64 is augmented with the overlaid information 62 thus providing an augmented reality situation. The processor 30 is mounted to the frame 66 for analyzing and processing the data from the camera 32 such as by using computer vision (CV) techniques and communicating that data to each player's device 16.

The glasses 12 preferably include a built-in microphone/ 10 speaker 72 and earphone or earpiece 74. The microphone/ speaker 72 permits a player 18 or 20 to speak to the other player in real time while playing the basketball game, and earpiece 74 enables the players 18 and 20 to hear what the other players are saying in response. The glasses 12 include 15 a conventional standard transceiver 76 in order to wirelessly communicate information such as the camera images and/or other data relating to a player 18 or 20 and communicate through Bluetooth Low energy (BLE). The smart glasses 12 have a server manager code that contains functions for 20 several different server file protocols including TCP, UDP, MIX and TLA. The file transfer functions preferably use multithreading to transfer and process the file bytes quickly and efficiently. The glasses 12 are powered such as by battery and/or electric charge.

As noted above, commercially available smart glasses can be utilized as part of the invention or, alternatively, specifically designed custom-made glasses can be designed and manufactured such as with more than one camera and faster processing speeds.

Turning now to FIG. 4, there is illustrated an exemplary graphical user interface 78 of the application 14 which is accessed by each player's device 16. It should be noted that the interface 78 can be designed and look differently and display different information as desired. The interface 78 35 includes a miniature basketball court graphic 80 where the location of each player's shots as makes/misses is shown for example by x's and o's and where the distance of a player's shots from the rim 24 can also be displayed. The player names 82 can be displayed and an indication 84 indicating 40 that the first player 18 is connected to the second player 20, and the game is on. The interface 78 displays elapsed time 86 of the game being played, the total shots 88 attempted by the player 18 or 20, the number of makes/misses 90 and 92 of the player, and each player's rank 94 among all players 45 that have played the selective basketball game. Each player's device 16 keeps track of a player's rank using any type of ranking system/method. A player's rank can be accessed even if the player 18 or 20 is not actively playing a basketball shooting game.

The interface **78** enables a player **18** or **20** to choose between several basketball games **96** by selecting from a predetermined menu. Games can include but are not limited to a three-point shooting game and a free throw shooting game. A player **18** or **20** can also choose to play the game 55 with a different player.

FIG. **5** shows another graphical user interface **96** wherein there is a split screen **98** showing the camera data **100** from the first player **18** and the camera data **102** from the second player **20**.

In order to utilize the smart glasses 12 for the basketball shooting game between two players 18 and 20 on remote basketball courts, processes are needed to track the players 18 and 20 and analyze the data from the glasses 12 by tracking the basketball 22, without need for any sensors on 65 the rim 24, backboard 26 or basketball 22 which would be an impediment to playing the game.

Turning now to FIG. 6, with respect to player tracking, data from the positioning device 68 on the smart glasses 12 is acquired at step 104 and utilized to determine where a player 18 or 20 is on the basketball court at step 106 and utilized to mark where a player 18 or 20 takes a shot at step 108.

With respect to tracking the basketball 22, the data streamed and acquired from the camera 32 of the smart glasses 12 is utilized as shown in step 104 to identify the basketball 22 in step 110, track the basketball 22 in step 112 and determine made and missed shots in step 114. Preferably, a tool that the system 10 uses to interpret the data streamed from the camera 32 can be sourced from OpenCV, an open source CV and machine learning software library. More specifically, an implementation of the OpenCV library made solely for use in Unity OpenCV for Unity from Enox Software can be used for tracking the basketball. Unity is advantageous to enable almost all commercially available smart glasses to be used in this game system. Filters can also be used to filter artificial data from the camera data. However, other software for processing the data from the smart glasses, whether commercially available or custom written, can also be utilized with the invention.

HoloLens World Tracking can be used to identify the 25 basketball backboard 26 in 3d space in step 116. To accomplish this, images of backboards are preferably scanned to enable the glasses 12 to recognize backboards of different designs. Alternatively, after putting the glasses 12 on, a player 18 or 20 will be asked to shoot any number of shots, 30 such as 3-5, until the system 10 recognizes the backboard 26 in use. If desired, the entire court could be identified by the system 10 as well.

The OpenCV plugin can be used to identify and track the basketball **22** and process the camera data while tracking the backboard's position. During the processing, the OpenCV plugin functions will analyze the frames captured from the camera **32** to identify contour lines that match the circular shape of the basketball **22** as the images featured from the frame are 2d. The processing also takes into account the size of the basketball **22**, the focal length of the camera **32**, the diameter of the basketball **22** and the color of the basketball **22** such as through use of the OpenCV Find Contours function. Alternatively, the system **10** can request a player **18** or **20** to place the basketball **22** in front of the smart glasses **12** until the system **10** recognizes the specific basketball that is being used in the game.

The image processing within OpenCV on the processor **30** is done in as many frames as possible in order to achieve good accuracy without slowing down the processing. In order to achieve better performance, the processing can scale the input frames down to 896×504 resolution (16:9 aspect ratio). The FOV can be kept at 48 degrees and the aspect ratio is kept the same to ensure consistent accuracy. However, it should be noted that faster processing speed, higher resolution and different aspect ratios can also be utilized as known by those of skill in the art. It should also be noted that a different processor not on the smart glasses **12** can also be used in addition to or in place of the processor **30**.

The processing of the camera data also preferably detects 60 the color of the basketball **22** and converts from RGB to HSV in order to precisely determine the color of the basketball **22** when it is in the camera frame data. Filtering is preferably done so appropriately colored round orange objects such as 0.5 miles away are not identified as the 65 basketball **22**.

Turning now to the processing of basketball shot makes/ misses and FIG. 7, preferably during the start of processing of the data, collision detection boxes 118 and 120 are created in order to ensure a proper basketball shot is processed. A first collision detection box 118 is positioned above the rim 24 adjacent the backboard 26 and a second collision detection box 120 is positioned below the rim 24. The system  $10^{-5}$ detects collisions in succession with the basketball 22 along with the two collision boxes 118 and 120 that are created to overlay the camera data. Once the system 10 detects a collision between the basketball 22 and the first collision detection box 118 then the second collision detection box 10 120 in that order, the system records that as a basket made. The use of the focal length of the camera 32 to determine the distance of the basketball 22 from the camera 32 ensures that there are no errors in collision detection. In the 2d image processing, the basketball 22 may appear to be colliding 15 with the collision detection boxes 118 and 120 if it is in front of or behind either of the boxes 118 and 120, however, using the area of the basketball 22 when colliding with the boxes 118 and 120 ensures that no errors are made when processing.

It should also be noted that the system 10 can also provide predictive make/miss determinations if a player 18 or 20 turns their head away from the rim 24 thus not providing any camera data. In this situation, the system 10 can predict if the shot was a make/miss based on the trajectory mapping of the 25 shot as it approaches the rim 24 with the camera data that is available.

With respect to projecting graphics and game data **62** on the display **70** of the smart glasses **12**, this is known in the art through use of a combiner that works like a partial mirror <sup>30</sup> to redirect the display light and selectively let in light from the real world. FIG. **7** illustrates an example of the MAKE graphic as seen on the display **70** of the glasses **12**. Other graphics and/or data that could be displayed include location, temperature, and distance from the basketball rim. <sup>35</sup>

In another aspect of the invention, the camera output of the glasses 12 of the players 18 and 20 can be transmitted via a network to third parties to watch the games whether they are physically at one of the basketball courts or not.

The invention is capable of being used with other athletic 40 ball sports using the smart glasses 12, the application 14 and the smart device 16 with adaptations as would be known to those of skill in the art. As with the basketball game described above, to similarly play other athletic ball games, the first player 18 logs into the application 14 on the first 45 player's device 16 and selects a particular game from a list of options. The first player 18 is then matched up with a second player 20 at a game location in a remote location who also is logged into the application 14 on the second player's device 16 and who is interested in playing the same game. 50 Once both players 18 and 20 are matched and the game determined, the players 18 and 20 put on their individual smart glasses 12 so that the camera 32 is activated and each player 18 and 20 can see what the other player sees on the game location. The players 18 and 20 then set aside their 55 individual devices 16 such as in their pocket, on a chair, on a fence, or any other convenient location that is nearby so they can then begin the selected game. Both players 18 and 20 can play the selected game at the same time or they can play one at a time while watching the other player on their 60 device 16. If the players 18 and 20 play the selected game one at a time, each player 18 and 20 can monitor the current data and scores of the other player as well as the make/miss data of the other player on their device 16. The application 14 can also provide for replays of each player's shots if 65 desired. The application 14 also provides a timer and a game end alarm if the selected game requires one. The images,

8

video as well as other data collected and processed by player's glasses 12 are communicated to the other player such as be being wirelessly transmitted to the player's respective device 16 which is also communicated to the other player's device 16 as is known in the art. The capture of images, video and data by the glasses 12 of the first player 18 at one game location can be viewed in real-time by the second player 20 at a remote game location and vice versa thus enabling the play of athletic ball games by one player 18 against another player 20 anywhere in the world.

Turning now to FIGS. 9-11, another embodiment of the invention is shown with respect to the game of baseball. The baseball game is played by players at remote game locations such as in a backyard, on an actual baseball diamond, at a batting cage, at the park, in the gym or anywhere with enough space to simulate a real-life baseball game. The players 18 and 20 play the game as shown in FIG. 2 in that a player 18 puts on the smart glasses 12, logs in to the application 14 on a smart device 16 and selects a game to play against another baseball player 20 also wearing smart glasses 12 but in a different location. The smart glasses 12 function the same in the game of baseball as in the game of basketball previously described and each player 18 and 20 can watch the other player playing the selected game through transmission of the camera data.

Referring to FIG. 9, one exemplary baseball game is a pitching game to determine who the best pitcher is among the players 18 and 20. The smart glasses 12 worn by player 18 and 20 will measure how far away the player 18 and 20 is from a mound 130 and a home plate 132 in order to ensure that both players 18 and 20 are pitching from the same distance (typically from 45-50 feet, which is the professional distance of the mound 130 to home plate 132). The glasses 12 can measure curvature, trajectory, speed and accuracy of a thrown baseball 134. The pitching game can be played to determine who throws the most strikes, has the fastest pitch, has the most unique pitch, the best curve ball thrower, or the most accurate pitcher, for example. The glasses 12 can also project a visual strike zone 136 for the player 18 and 20 while they are pitching to determine how many strikes are thrown. The make/miss data can include a make when a player 18 or 20 throws a strike or a miss if the player 18 or 20 misses the strike zone 136.

Referring to FIG. 10, another exemplary baseball game is pitching against a virtual batter. The player 18 who is wearing the glasses 12 is pitching against a white picket fence where they can now see the virtual strike zone 136 of the average batter. In addition to the strike zone 136, the glasses 12 could also project a famous baseball player and show him taking a swing at a pitch. Using statistical data on how that famous player performed against similar pitches, the glasses 12 will determine whether that famous player would have hit the pitch that was just thrown by player 18 such that the make/miss data would include hits and misses. The glasses 12 use gamified graphics to show that famous player hitting the ball, emitting further game-like graphics like "home run" "single" "double" "triple" "fly ball" "pow" "see ya" "that's outta there", also emitting sounds emulating baseball parks when a homerun is hit.

Another exemplary baseball game is a hitting competition between players 18 and 20 involving a bat 138. The competition may include which player 18 or 20 hits the ball 134 the most times, most powerful hit, the furthest hit or the most RBIs, for example.

The glasses 12 can include speakers to emit sounds such when a player 18 or 20 is wearing the glasses 12 in his 25

backyard for example, it will sound as though the player 18 or 20 is in an actual ball park with crowd noises and commentator play-by-play.

For baseball games, the player 18 and 20 position needs to be located relative to the mound 130 and strike zone 136. 5 the strike zone 136 needs to be located and the baseball 134 needs to be detected and tracked to determine the make/miss data for pitches and hits. No additional sensors are needed on the baseball 134 or the bat 138. An exemplary graphical user interface 140 for a baseball game in shown in FIG. 11. 10

Turning now to the FIGS. 12-13, another embodiment of the invention is shown with respect to the game of soccer. The soccer game is played by players at remote game locations such as in the backyard, on an actual soccer field, at the park, in the gym or anywhere with enough space to 15 simulate a real-life soccer game. The players 18 and 20 play the game as shown in FIG. 2 in that a player 18 puts on the smart glasses 12, logs in to the application 14 on a smart device 16 and selects a game to play against another soccer player 20 also wearing smart glasses 12 but in a different 20 location. The smart glasses 12 function the same in the games of soccer as in the game of basketball previously described and each player 18 and 20 can watch the other player playing the selected game through transmission of the camera data.

The soccer games can be penalty kicking games or other skill games like simulated dribbling or juggling drills. The glasses 12 will determine the locations of the players 18 and 20, the goal 150 and the ball 152 and measure how far a player 18 or 20 is from the goal 150. The glasses 12 can 30 measure statistics such as speed of a kicked ball 152 and curvature or trajectory of the ball 152.

Referring to FIG. 12, in one exemplary soccer game, the glasses 12 projects virtual targets in each of the four corners of the goal 150 and the object is for each player 18 and 20 35 to see who can kick the most accurate penalty kicks, hitting a certain amount of each of these virtual targets in the four corners with the make/miss data include goals made and goals missed.

Another game involves the glasses 12 projecting a virtual 40 professional soccer goalie and a player 18 or 20 kicking the soccer ball 152 at the goal 150 while trying to score on the virtual goalie. Using statistical data inputted into the glasses 12, the goalie will either be scored on or block the ball 152 and graphics projected from the glasses 12 to indicate what 45 happens in real-time with graphics and sounds like "score!" or "blocked!" or "goal!". After the selected soccer game is over, each player 18 and 20 can see who won, analyze how they did and determine their new ranking in the game.

For soccer games, the player 18 and 20 positions needs to 50 be located relative to the goal 150 and the soccer ball 152 needs to be detected and tracked to determine the make/miss data. No additional sensors are needed on the goal 150 or ball 152. An exemplary graphical user interface 156 for a soccer game in shown in FIG. 13.

Turning now to FIGS. 14-15, another embodiment of the invention is shown with respect to the game of golf. The golf game is played by players 18 and 20 at remote game locations such as in the backyard, on an actual golf course, in a driving range, on a putting green, in an office with a fake 60 putting green, at the park, in the gym or anywhere with enough space to simulate a real-life golf game. The players 18 and 20 play the game as shown in FIG. 2 in that a player 18 puts on the smart glasses 12, logs in to the application 14 on a smart device 16 and selects a game to play against 65 another golf player 20 also wearing smart glasses 12 but in a different game location. The smart glasses 12 function the

10

same in the games of golf as in the game of basketball previously described and each player 18 and 20 can watch the other player playing the selected game through transmission of the camera data.

Referring to FIG. 14, exemplary golf games include putting, driving and chipping games. The glasses 12 measure how far away a player 18 or 20 is from the hole or cup 170. The glasses 12 measure curvature, trajectory and speed of all swings of a golf club 172 and a golf ball 174. The selected golf game can be played to determine who is the best putter, chipper or driver. Since the players 18 and 20 will be on different greens, the difficulty of each putt is factored in to determine which player had the more difficult shot. When driving the golf ball 174, the glasses 12 will determine the distance of the drive and accuracy. When chipping, the glasses 12 show how puts, drives and chips compare to professional golfers. The glasses 12 can also show the players 18 and 20 the angle and trajectory lines they should be aiming for.

For golf games, the player 18 and 20 position needs to be located relative to the hole 170 and the golf ball 174 and club 172 need to be detected and tracked to determine the make/miss data. No additional sensors are needed on the ball 174 or club 172. An exemplary graphical user interface 176 for a golf game in shown in FIG. 15.

It should be noted that the invention utilizing the smart glasses can be adapted to other athletic ball games such as, for example, cricket, football, softball, tennis, volleyball, handball, rugby, field hockey, netball, Canadian football, badminton, bocce, croquet, lacrosse, wiffle ball, table tennis, pickle ball, bowling and curling.

Various features and advantages of the invention are set forth in the following claims.

The invention claimed is:

1. An athletic ball game method for at least two players at remote game locations with each player using a game ball said method comprising:

- matching up two players at remote game locations who have selected to play the same athletic ball game;
- acquiring real-time camera data from a camera on smart glasses each player wears while the players are playing the selected athletic ball game;
- analyzing the camera data using an overlay over the camera data without using data from a sensor on the game ball to determine make/miss data for each player for the selected ball game; and
- communicating the camera data and the make/miss data of one player to the other player.

2. An athletic ball game method of claim 1 and further including the step of displaying indicia of the make/miss data on each player's smart glasses.

3. An athletic ball game method of claim 1 and further 55 including the step of displaying augmented reality graphics on each player's smart glasses.

4. An athletic ball game method of claim 1 wherein, in the communicating step, the camera data and the make/miss data is communicated to a player's smart device.

5. An athletic ball game method of claim 1 and further including the step of determining which player won the selected athletic ball game and communicating the result to each player.

6. An athletic ball game method of claim 1 wherein the smart glasses enable the players to communicate via audio with each another during the playing of the selected athletic ball game.

10

15

35

7. An athletic ball game method of claim 1 and further including the step of analyzing the camera data to recognize the game ball.

**8**. An athletic ball game method of claim/and further including the step of analyzing the data from each player's 5 smart glasses to track the game ball.

**9**. An athletic ball game method of claim **1** and further including the step of analyzing the data from each player's smart glasses to determine each player's position at their respective game location.

**10**. An athletic ball game method of claim **1** wherein the athletic ball game is one of baseball, soccer and golf.

**11**. An athletic ball game method of claim **1** wherein the game ball includes one of a baseball, a golf ball and a soccer ball.

**12**. An athletic ball game method of claim **1** wherein, in the analyzing step, at least one collision box overlaying the camera data is used to determine make/miss data.

**13**. An athletic ball game method of claim **1** wherein, in the analyzing step, non-ball trajectory data is used to deter- 20 mine make/miss data.

**14**. A method for enabling two athletic players in game areas at remote locations to play a selected athletic ball game against one another, said method comprising:

- matching up two athletic players on game areas at remote 25 locations to play a selected athletic ball game;
- acquiring real-time camera data from a camera incorporated in smart glasses worn by each player;
- transmitting the real-time camera data from smart glasses worn by each player to a smart device of the other 30 player;
- analyzing the real-time camera data from each player's smart glasses using at least one collision box overlaying the real-time camera data to determine which player won the selected athletic game; and
- communicating which player won the selected athletic game.

**15**. A method of claim **14** wherein the smart glasses include a processor and wherein the processor performs the analyzing step.

**16**. A method of claim **14** wherein the athletic ball game is one of baseball, soccer and golf.

17. A method of claim 16 wherein the selected athletic ball game includes one of a baseball, a golf ball and a soccer ball.

**18**. A method for enabling two athletic players in game areas at remote locations to play a selected athletic ball game against one another, said method comprising:

- matching up two players to play a selected athletic ball game;
- acquiring data from smart glasses worn by each player, the data including camera data obtained from a camera incorporated in the smart glasses worn by each player, the data not including data from a sensor on the game ball;
- transmitting the data from the smart glasses worn by each player to a smart device of the other player;
- analyzing the data from each player's smart glasses to recognize a game area and a game ball;
- analyzing the data from each player's smart glasses to determine each player's position in the game area;
- analyzing the data from each player's smart glasses to track the game ball;
- analyzing the data from each player's smart glasses using an overlay over the camera data to determine how well each player played the selected athletic game; and
- displaying augmented reality information related to the selected athletic ball game on each player's smart glasses.

**19**. The method of claim **18** and further including the step of transmitting the camera data to third parties.

\* \* \* \* \*